

ROOF POD



Romijn
office supply

ROOF POD





ROOF SINGLE POD

An even greater invention to maximise noise reduction and enhance seclusion to make the environment a viable one to work in, be it for a group discussion or to focus on individual work.

HIGH ACOUSTIC RATING
Roof Single Pod offers an acoustic workplace for 1-2 people to work away from their desk. No longer bordering or being bordered by co-workers.

FITTINGS


-  AH Meyer Power & USB Charger
-  High Pressure Laminated WorkTable
-  Switch
-  LED Light
-  Ventilation Access System
-  Black Aluminium Glass Frame
-  8mm Laminated Glass Door
-  Matt Handle Finishing
- OPTIONAL**
-  Double sided 8mm Laminated Glass Wall
-  Stool




ROOF SINGLE POD-G



DIMENSION:



AIR VENTILATION FLOW



ROOF DOUBLE POD T1-G

A combination of functionality and ergonomics, ROOF DOUBLE POD is aesthetically pleasing and practical to have in a workplace. Furthermore, with a variety of colours to choose from, you can mix around to complement the view of the whole office.


HIGH ACOUSTIC RATING
Roof Double Pod offers an acoustic workplace for 1-4 people to work away from their desk. No longer bordering or being bordered by co-workers.

FITTINGS

- AH Meyer Netbox Smart 3 Gang
- Melamine Faced Chipboard Work Table
- Stainless Steel Table Leg
- Hanging TV Bracket
- Sofa
- Switch
- LED Light
- Ventilation Access System
- Black Aluminium Glass Frame
- 8mm Laminated Glass Door
- Matt Handle Finishing

OPTIONAL

- Double sided 8mm Laminated Glass Wall




ROOF DOUBLE POD T2

FITTINGS


- AH Meyer Power & USB Charger
- High Pressure Laminated WorkTable
- Switch
- LED Light
- Ventilation Access System
- Black Aluminium Glass Frame
- 8mm Laminated Glass Door
- Matt Handle Finishing

OPTIONAL

- Stool



AIR VENTILATION FLOW



ROOF MEETING POD




ROOF MEETING POD

FITTINGS (empty POD)



Switch LED Light



Ventilation Access System Black Aluminium Glass Frame



8mm Laminated Glass Door Matt Handle Finishing

OPTIONAL



AH Meyer Power & USB Charger Hanging TV Bracket



Frosted Glass Double sided 8mm Laminated Glass Wall




Versatile Furniture




with **MODUL** discussion setting.

AIR VENTILATION FLOW



DIMENSION:



ROOF MEETING POD-G

FITTINGS (standard)




AH Meyer Netbox Smart 3 Gang Hanging TV Bracket



Melamine Faced Chipboard Work Table Stainless Steel Table Leg



Switch LED Light



Ventilation Access System Black Aluminium Glass Frame



8mm Laminated Glass Door Matt Handle Finishing

OPTIONAL



Frosted Glass Double sided 8mm Laminated Glass Wall



APTO Chair



ROOF MEETING POD-G



with **Z-365** Ergonomic office chair
& **Height Adjustable Table** setting.

ROOF MEETING POD



with **MODE** sofa setting.

ROOF POD

	SINGLE POD (RF-SPOD-T-NETBOX)	SINGLE POD-G (RF-SPOD-T-NETBOX-G)	DOUBLE POD T1 (RF-DPOD-TB-NETBOX)	DOUBLE POD T1-G (RF-DPOD-TB-NETBOX-G)	DOUBLE POD T2 (RF-DPOD-T-ST)	MEETING POD (RF-MPOD-TB-NETBOX)	MEETING POD-G (RF-MPOD-TB-NETBOX-G)
Material	Steel + Wooden Structure						
Dimension							
1. Internal	835(W) x 855(D) x 2005mm(H)	835(W) x 855(D) x 2005mm(H)	1995(W) x 1070(D) x 2005mm(H)	1995(W) x 1070(D) x 2005mm(H)	1995(W) x 1070(D) x 2005mm(H)	2165(W) x 2245(D) x 2005mm(H)	2165(W) x 2245(D) x 2005mm(H)
2. External	1090(W) x 1000(D) x 2185mm(H)	1090(W) x 1000(D) x 2185mm(H)	2230(W) x 1200(D) x 2185mm(H)	2230(W) x 1200(D) x 2185mm(H)	2230(W) x 1200(D) x 2185mm(H)	2400(W) x 2400(D) x 2185mm(H)	2400(W) x 2400(D) x 2185mm(H)
External Finishing	Upholstery Finishing						
Internal Finishing	Upholstery Finishing						
Floor Finishing	100% Polypropylene Carpet (Charcoal 9339)						
Swing Door	8mm Laminated Glass						
Window Glass	Black Aluminium Frame with 8mm Laminated Glass						
Door Handle	Zink Alloy Glass Door Lock in Matt Finishing						
Table Finishing	High Pressure Laminated	High Pressure Laminated	Melamine Faced Chipboard	Melamine Faced Chipboard	High Pressure Laminated	Melamine Faced Chipboard	Melamine Faced Chipboard
Table Leg	-	-	Stainless Steel in Polish Finishing	Stainless Steel in Polish Finishing	-	Stainless Steel in Polish Finishing	Stainless Steel in Polish Finishing
Power Socket	AH Meyer Netbox Spot (International Socket Outlet)	AH Meyer Netbox Spot (International Socket Outlet)	AH Meyer Netbox Smart 3 Gang (International Socket Outlet)	AH Meyer Netbox Smart 3 Gang (International Socket Outlet)	AH Meyer Netbox Spot (International Socket Outlet)	AH Meyer Netbox Smart 3 Gang (International Socket Outlet)	AH Meyer Netbox Smart 3 Gang (International Socket Outlet)
USB Charger	AH Meyer Netbox Spot (Twin USB Charger)	AH Meyer Netbox Spot (Twin USB Charger)	-	-	AH Meyer Netbox Spot (Twin USB Charger)	-	-
Ventilation Fan	DC Brushless Fan Ventilation Fan (Noise 40.5 dB(A)) (DC24V Ventilation Fan with Power Supply (110-240VAC))	DC Brushless Fan Ventilation Fan (Noise 40.5 dB(A)) (DC24V Ventilation Fan with Power Supply (110-240VAC))	DC Brushless Fan Ventilation Fan (Noise 40.5 dB(A)) (DC24V Ventilation Fan with Power Supply (110-240VAC))	DC Brushless Fan Ventilation Fan (Noise 40.5 dB(A)) (DC24V Ventilation Fan with Power Supply (110-240VAC))	DC Brushless Fan Ventilation Fan (Noise 40.5 dB(A)) (DC24V Ventilation Fan with Power Supply (110-240VAC))	DC Brushless Fan Ventilation Fan (Noise 40.5 dB(A)) (DC24V Ventilation Fan with Power Supply (110-240VAC))	DC Brushless Fan Ventilation Fan (Noise 40.5 dB(A)) (DC24V Ventilation Fan with Power Supply (110-240VAC))
Lighting	4000K LED Downlight (Power Rating 110-240V)						
Air Flow (Intake)	2.5 m3/min	2.5 m3/min	5 m3/min	5 m3/min	5 m3/min	10 m3/min	10 m3/min



kantooradres:
Woudlaan 27
2719 JJ Zoetermeer

telefoonnummer: 0031 (0) 79 - 888 33 75
e-mail: info@romijnofficesupply.nl
website: www.romijnofficesupply.nl

